

### APPLICATIONS

Marine applications

Industrial applications

Pockets suitable for free moving male process connection & compression fitting

### FEATURES


Stainless Steel Conical pocket

Tapered solid drilled for heavy duty

Wide range of material: AISI303 / AISI304 / AISI316


Wide range of internal & external thread (METRIC / INCHES)

Wide range of outside diameters





C.PO: Conical Steel Straight Tapered Solid drilled Pocket



# C.PO

## ORDER CODE

# ANALYSIS LTD



### ORDER CODE FOR C.PO

ORDER CODE FOR C.PO				
<b>MATERIAL</b>				
AISI 303	3			
AISI 304	4			
AISI 316	6			
OTHER MATERIAL ON REQUEST	XXX			
<b>DIAMETER D1/D[mm] &amp; EXTERNAL THREAD</b>				
23/17mm & G3/4"		2317G34		
23/20mm & G3/4"		2320G34		
20/17mm & M24x1.5		2017M24		
23/20mm & M33x2.0		2320M33		
OTHER DIAMETER D1/D[mm] & EXTERNAL THREAD ON REQUEST		XXX		
<b>LENGTH L[mm ±1]</b>				
From 80mm to 300mm			---	
OTHER LENGTH L[mm] ON REQUEST			XXX	
<b>INTERNAL THREAD</b>				
G1/2"				G12
G3/4"				G34
M24x1.5				M24
OTHER INTERNAL THREAD ON REQUEST				XXX

ORDERING EXAMPLE: C.PO-3-2317G34-200-G23

Delta Velestino, 375 00 Magnesia, Greece tel. 0030 2425024248

[www.analysis-ltd.com.gr](http://www.analysis-ltd.com.gr)

Version: C.PO.1.19-02-17

Analysis Ltd can accept no responsibility for errors in datasheets, catalogues and other electronic or printed materials. Analysis Ltd reserves the right to change specifications without notice. All trademarks in this material are property of Analysis Ltd. Copyright© 2017 Analysis Ltd. All rights reserved.



Certificate No: PIR6046243

Analysis Ltd applies a certified ISO: 9001 quality management system.