



APPLICATIONS

Marine applications

Industrial applications

Pockets suitable for free moving male process connection & compression fitting

FEATURES

Stainless Steel Straight pocket

Wide range of material: AISI303 / AISI304 / AISI316


Tapered solid drilled for heavy duty applications or tube (welded)

Wide range of internal & external thread (METRIC / INCHES)

Wide range of outside diameters



S.PO1: Stainless Steel Straight Pocket



S.PO1

ORDER CODE



ANALYSIS LTD

ORDER CODE FOR S.PO1

ORDER CODE FOR S.PO1						
MATERIAL						
AISI 303	3					
AISI 304	4					
AISI 316	6					
OTHER MATERIAL ON REQUEST	XXX					
PROTECTION SHEATH						
Tube			S			
SOLID DRILLED (for D>12mm)			SD			
DIAMETER D [mm]						
8.0				8		
10.0				10		
12.0				12		
15.0				15		
OTHER DIAMETER D[mm] ON REQUEST				XXX		
LENGTH L[mm ±1]						
From 80mm to 400mm					---	
OTHER LENGTH L[mm] ON REQUEST					XXX	
INTERNAL THREAD						
G1/2"						G12
G3/4"						G34
M24x1.5						M24
OTHER INTERNAL THREAD ON REQUEST						XXX
EXTERNAL THREAD						
G1/2"						G12
G3/4"						G34
M24x1.5						M24
OTHER EXTERNAL THREAD ON REQUEST						XXX

ORDERING EXAMPLE: S.PO1-3-S-12-200-G12-G12

Delta Velestino, 375 00 Magnesia, Greece tel. 0030 2425024248

www.analysis-ltd.com.gr

Version: S.PO1.1.19-02-17

Analysis Ltd can accept no responsibility for errors in datasheets, catalogues and other electronic or printed materials. Analysis Ltd reserves the right to change specifications without notice. All trademarks in this material are property of Analysis Ltd. Copyright© 2017 Analysis Ltd. All rights reserved.



Analysis Ltd applies a certified ISO: 9001 quality management system.

Certificate No: PIR6046243